

**CLIFTON RANGER DISTRICT
APACHE/SITGREAVES NATIONAL FOREST
ANNUAL OPERATING INSTRUCTIONS (AOI)**

**Alma Mesa Allotment
2024-2025**

I. PERMITTED USE:

The following table illustrates the number of livestock and season of use permitted on the Alma Mesa Allotment as per Term Grazing Permit # 03010335 issued on December 16, 2019.

KIND	CLASS	NUMBERS	AUM	SEASON OF USE
Cattle	Cow/Calf	456	5472	03/01 – 02/28
Horse	Horse/Mule	12	173	03/01 – 02/28

II. PERMITTED USE:

The following table illustrates the number of livestock and season of use permitted on the Alma Mesa Allotment as per Term Grazing Permit # 03010336 issued on December 16, 2019.

KIND	CLASS	NUMBERS	AUM	SEASON OF USE
Cattle	Cow/Calf	226	2712	03/01 – 02/28
Horse	Horse/Mule	6	86	03/01 – 02/28

III. AUTHORIZED USE: (Permit #03010335)

The following numbers and classes of livestock are authorized to graze on the Alma Mesa Allotment this year.

KIND	CLASS	NUMBERS	AUM	SEASON OF USE
Cattle	Cow/calf	32	144	03/01/24 – 07/01/24
	Cow/Calf	136	340	03/01/24 – 05/15/24
	Mature Cow	87	174	05/15/24 – 07/15/24
	Bull	14	95	03/01/24 – 07/15/24
Horse/Mule	Mature	7	8	03/01/24 – 04/01/24

I. AUTHORIZED USE: (Permit #03010336)

The following numbers and classes of livestock are authorized to graze on the Alma Mesa Allotment this year.

KIND	CLASS	NUMBERS	AUM	SEASON OF USE
Cattle	Cow/calf	20	90	03/01/24 – 07/01/24
	Cow/Calf	91	228	03/01/24 – 05/15/24
	Mature Cow	58	116	05/15/24 – 07/15/24
	Bull	9	61	03/01/24 – 07/15/24
Horse/Mule	Mature	5	6	03/01/24 – 04/01/24

II. ROTATION SCHEDULE: (Livestock use is authorized as follows in the pasture rotation schedule. Deviations from this must be made in advance and amended in the AOI. Actual dates may vary (+ or – 5 days) dependent on utilization levels, range conditions and time required moving livestock.

PASTURE	NUMBER	SEASON OF USE	GRAZING INTENSITY	KEY AREA	KEY SPP
Bear Valley	52 (1)	03/01/24 – 04/30/24	31 – 40% Conservative *0-30%	C10, C11, P6, C12, C13	TBD
NM South	23 bulls (12)	03/01/24 – 05/01/24	Conservative, 30-40%	P5, C1, P7, P16	BOCU, BOHI
Alma Mesa	25 Replacement heifers (2)	03/01/24 – 05/15/24	Conservative, 30-40%	C6, C9	BOGR
	75 Dry, Bred cows (3)				
Maple Charlie Moore	120 Fall Calvers (4)	03/01/24 – 05/15/24	Conservative, 30-40%	P14, P15	BOGR, BOCU
Six Shooter (New Pasture)	107 Fall Calvers (5)	03/01/24 – 05/15/24	Conservative, 30-40%	Est.	BOGR, BOCU
NM North	75 Dry, Fall Calvers (6)	05/15/24 – 07/15/24	Conservative, 30-40%	C2, C3	BOCU, BOHI
Cradle Mesa	52 Spring Calvers (7)	05/01/24 – 05/15/24	Conservative, 30-40%	N/A	
	5 Bulls	05/01/24 – 05/15/24			
	92 Spring Calvers and open, dry cows (8)	05/16/24 – 07/15/24 (9)			
	10 Bulls	05/16/24 – 07/15/24 (10)			
Banjo Trap	30 Dry Cow (11)	05/16/24 07/15/24	Conservative, 30-40%	N/A	BOCU, BOHI
	3 Bulls				
NM South	18 Bulls (13)	05/01/24 – 05/15/24	Conservative, 30-40%	P5, C1, P7, P16	BOCU, BOHI
	8 Bulls (14)	05/16/24 – 07/15/24			
Traps West Winter Tank Stateline Cabin Beaver Morgan East Morgan Tank Morgan West	Handling (60 days total)	03/01/24 – 07/15/24	Conservative, 30-40%	N/A	
Morgan Trap	12 Horse	03/01/24 – 04/01/24	Conservative, 30-40%	N/A	

- 1; These cattle go to KCHQ to be bred and then to Cradle Mesa with bulls.
- 2; These cattle go to private to calve.
- 3; Expect 20 percent open (15 head); put them in Banjo or Cradle Mesa. Rest of these cattle (60 head) go to Luna Allotment.
- 4; Expect 20 percent open (24 head); put them in Banjo or Cradle Mesa to breed. Rest of these cattle (96 head) go to Luna Allotment; hold back replacements on private; sell remaining calves.
- 5; Expect 20 percent open (32 head); put them in Banjo or Cradle Mesa to breed. Rest of these cattle (75 head) go to NM North; hold back replacements; sell remaining calves.
- 6; These cattle go to Alpine by 7/15/2024.
- 7; Spring calvers from Bear Valley to breed.
- 8; 52 head of spring calvers plus 40 open dries.
- 9; These cattle go to Alpine by 7/15.
- 10; These bulls go to private by 7/15/2024 to get ready for fall breeding.
- 11; To Alpine by 7/15.
- 12; 5 of these bulls go to Cradle Mesa by 5/1 for spring breeding.
- 13; 3 of these bulls go to Banjo and 7 to Cradle Mesa by 5/16/2024 for spring breeding.
- 14; These bulls go to private by 7/15 to get ready for fall breeding.

*Management of salt & mineral near Dutch Blue Creek will be no closer than 1 mile.

**Winter AOI will be completed late Summer 2024.

III. ALLOWABLE USE STANDARDS (Grazing Intensity) See Appendix for management strategies.

Allowable use of forage is based on the amount and kind of forage on the allotment, plant needs, range condition, trend, and grazing management strategy. Duration, frequency, and timing may be manipulated within the grazing schedule to

meet allowable use standards. Grazing intensity may be described in terms herbage removed during the grazing and/or growing period, or as a utilization level at the end of the growing period. Removal of leaf material, when the plant is actively growing can affect root growth which in turn affects future leaf growth. Sufficient leaf area is essential to support plant functions through photosynthesis.

The allowable use levels for this allotment are established for key areas and key species by pasture for the time period livestock are in a pasture. The use on key species in key areas should be used as an indicator to the length of the grazing period allowed in each pasture. The establishment of the utilization standards is consistent with 36 CFR 222 regulations, FSM 2210 and 2230, and FSH 2209.21.

For simplicity, key areas are generally considered as follows: 1) full capacity rangeland located on ridgetops/mesas within a ¼ mile from available water sources; 2) canyon bottoms/riparian areas with free flowing water or springs regardless of distance from water; 3) any area containing full capacity range with erosive soils and insufficient/marginal vegetative ground cover to protect the soil; and/or 4) areas containing critical habitat, whether occupied, suitable and unoccupied, or potentially suitable habitat, for threatened, endangered, or proposed species that are of concern to the Forest Service.

Key areas have been designated in cooperation with the Forest Service and the current or past permittee.

Grazing Intensity is discussed by Holechek and others (Holechek, Jerry L., Rex D. Pieper, and Carlton H. Herbel. 2004. Range Management, Principles & Practices. Prentice Hall, page 248):

Table 3. Qualitative characteristics of grazing intensity categories used to characterize New Mexico rangelands (Holechek & Galt, 6/00, Rangelands).

Qualitative Grazing Intensity Category	Use of Forage by Weight	Qualitative Indicators of Grazing Intensity
Light to non-use	0-30	Only choice plants (key species) and areas show use. There is no use of poor forage plants
Conservative	31-40	Choice forage plants (key species) have abundant seed stalks; Areas more than a mile from water show little use: About one third to one half primary forage plants show grazing on key areas.
Moderate	41-50	Most of accessible range show use; Key areas show patchy appearance with one half to two thirds of primary forage plants (key species) showing use; Grazing is noticeable 1-1½ miles from water
Heavy	51-60	Nearly all primary forage plants show grazing on key areas: Palatable shrubs show hedging: Key areas show a lack of seed stalks: Grazing is noticeable in areas over 1½ miles from water
Severe	61+	Key areas show a clipped or mowed appearance (no stubble ht.): Shrubs are severely hedged; There is evidence of livestock trailing to forage; Areas over 1½ miles from water lack stubble height.

Describing Grazing Intensity (FSH 2209.13 – GRAZING PERMIT ADMINISTRATION HANDBOOK CHAPTER 90 – RANGELAND MANAGEMENT DECISIONMAKING. **See Appendix for species specific stubble height.**

Grazing intensity may be described in terms herbage removed during the grazing and/or growing period, or as a utilization level at the end of the growing period. It is important to clearly define how intensity is being viewed and described. Removal of leaf material, when the plant is actively growing can affect root growth which in turn affects future leaf growth. Sufficient leaf area is essential to support plant functions through photosynthesis. Heavy to severe intensity or utilization can affect current plant development and growth, as well as growth during subsequent growing seasons.

IV. ADMINISTRATION

1. The permittee will record actual use as it occurs; including livestock numbers and dates your permitted livestock are in a pasture. This information will be reported at the next annual or semi-annual operating instruction (AOI) meeting.
2. Any change or deviation from this Annual Operating Instructions is to be coordinated and confirmed in advance with the District in an AOI amendment. Additionally, as per terms and conditions of the grazing permit, the permittee shall provide 5 days' notice of moving livestock on or off the allotment. Credit or refunds generated are based upon this

documentation. If emergency conditions require making a change immediately, the permittee will notify the District as soon as practical.

3. Livestock remaining in pastures beyond the specified rotation date, that are allowed to drift between pastures, or grazing in rested pastures may be considered a violation of your Term Grazing Permit.

4. Livestock should be moved (before, with notification) and/or when forage utilization objectives have been met or within 1 week of planned rotation dates, unless changes have been confirmed with District Range personnel.

5. The District may spot check range improvements before the entry date to insure improvements are in a satisfactory condition. Livestock will not be allowed to enter pastures if assigned improvements are not maintained to proper standards. Livestock are not allowed to enter pastures if fences will not keep livestock where they are placed.

V. SALT AND MINERAL BLOCK

Typically, salt or mineral blocks are not to be placed within a quarter mile of water or drainage bottoms. With District Ranger approval, salt may be placed closer than a quarter of a mile to water for specific purposes. Salt will be used to attract cattle to areas of a pasture typically not utilized and or for soil/range condition treatment purposes. Blocks may be removed by the District if found near water, over-utilized areas, meadow bottoms or roads. Feeding and/or supplements such as molasses are not authorized, unless on a case by case for specific purposes and approved by the District Ranger.

VI. MONITORING

Monitoring and evaluation is an essential aspect of good rangeland management. Monitoring and evaluation can be described as the gathering of information so the manager knows what is happening to rangeland resources and why. The intent of monitoring and evaluation is to test the success of the management strategy and if needed, make adjustments. The following types of monitoring can be collected and will be used by the Forest Service for management decisions.

1. Forage Production
2. Forage Utilization/ Stubble Height measurements.
3. Photo Points
4. Condition of Improvements
5. Actual Use
6. Grazing Response Index
7. Precipitation.

VII. RANGE IMPROVEMENT CONSTRUCTION / MAINTENANCE

The permittee will maintain all range improvements that are assigned for maintenance on pages 11 – 14 of the Term Grazing Permit. Reconstruction or new improvements requires written authorization by the District Ranger through a Permit Modification. When improvements are completed the permittee will inform District Range personnel to schedule an inspection. Before using machinery to clean any pond within defined wildlife habitat, the permittee is required to give the District Office at least 45 days advance notice so that the tank can be inspected for threatened or endangered species. All work involving the use of heavy equipment will be accomplished only after prior approval of the District Ranger.

Current Year Improvement Scheduled		YEAR	2024-2025
Improvement Type / ID #	Completion Date	Description/Comments	Status Done /Date
TBD	FY 23-25	Water Systems (see AMP) - Completed Alma Mesa Water System (2023) - Completed West Trap Water System (2023)	Done 7/2023
TBD	FY 23-25	Maple Charlie Moore/Six Shooter Fence 3 miles	WIP, expected completion by 12/31/2024
TBD	FY 23-25	Yam Canyon Fence 1+ miles (tbd date)	WIP, expected completion by 12/31/2024

VIII. PROTECTION

The permittee, his agents and employees, when acting within the scope of their employment, and his contractors and subcontractors will protect the land and property of the United States, waived private land and other land under jurisdiction of the Forest Service covered by and used in conjunction with this permit. Protection will include taking all reasonable precautions to prevent, make diligent efforts to suppress and report promptly all fires on or endangering such land and property. During periods of high fire danger, branding fires will be allowed by permit only.

IX. ALLOTMENT INSPECTIONS


Forest personnel may conduct periodic brief inspections of pastures within the allotment at any time to verify actual use, improvement conditions, or other non-range related activity. The permittee will be notified and invited to participate on extended (3-5 days) inspections.

X. PERMIT CONDITIONS

This Annual Operating Instructions is hereby made a part of the Term Grazing Permit as provided for in Part 2, Section 8(a). It complies with the standards and guidelines found in the Forest Plan.

Failure to comply with any of the terms and conditions specified in Parts 1, 2, and 3 of your Term Grazing Permit may result in suspension or cancellation, in whole or in part, after written notice. This is found in Part 1, Section 3, of your permit.

VINCENT
VOELKER

 Digitally signed by VINCENT
VOELKER
Date: 2024.03.04 08:36:00
-07'00'

DISTRICT RANGER

