

**2019/20
Annual Operating Instructions
Hassayampa Allotment**

This document serves as your 2019/20 Grazing Year, Annual Operating Instructions (AOI) for the Hassayampa Allotment. This AOI is part of your Term Grazing Permit as provided for in Part 2, section 8(a).

GRAZING SCHEDULE

The Annual stocking level (annual authorized livestock numbers and dates) are considered approximate. The actual dates and numbers may change due to many variables. Annual stocking level is based on current and expected forage production. The planned use period in a pasture and livestock numbers can/should be adjusted if conditions change, either (shortened or lengthened, depending on forage availability but not in excess of the permitted numbers and utilization in key areas).

*Any changes from these Annual Operating Instructions is to be coordinated and confirmed in advance and will be made only with prior written Forest Service Officer Approval. (An Amendment)

*If emergency conditions require making an immediate change, notify the Forest Service Officer promptly.

Authorization

Upon payment of fees, the following is the planned grazing sequence for the 2018 grazing season:

Number of Livestock	Pasture	Grazing Period
60	Carter	Dec 1 – Jan 2
60	Root plow N & S, Orofino, Quartz Mtn, Middle Water	Jan 3 – March 31

RESOURCE MONITORING

Allowable Use

The following is maximum allowable use: Uplands: *On key grass species:* 35-45% Measured at the end of the season. This percentage is of the total weight of the current year's production. *On key shrub species:* browsing of 50-60% of available leaders. Riparian: *On palatable grasses and sedges:* 8" stubble height on deergrass, 4" on Sedges and Juncus species. *On shrubs:* 20% utilization of available leaders.

Cattle will be moved to the next scheduled pasture or off the allotment when allowable use standards are met, no matter what the dates on paper are. Failure to remove your cattle to avoid use above the allowable levels is a violation of these instructions and the terms of your grazing permit.

The permittee is encouraged to participate in the allotment Monitoring process.

Actual Use

The permittee will document the following items on the enclosed Actual Use Form during the 2018 grazing year: 1) Pasture; 2) Actual Grazing Period; 3) Actual Livestock Numbers.

***It is very important that this Actual Use form be completed and submitted to your Rangeland Management Specialist at the end of the grazing year.**

RESOURCE OBJECTIVES for THIS GRAZING SEASON

Proper livestock management practices, e.g. distribution, timing of grazing, and intensity of grazing, must be managed closely to provide for plant maintenance, improved vigor, and maintenance/improvement of vegetative ground cover. When cattle are not in a pasture, ensure water is available for wildlife and escape ramps are in place on troughs.

SALTING AND PROTEIN BLOCK PRACTICES

Proper salt and protein block location can be a good tool to aid in livestock distribution and they will be used in a manner to spread livestock utilization throughout the pasture. A detailed description of the Salting and Supplemental Feeding policy can be found in Part 3 of your term grazing permit; (See AMP and Term Grazing Permit for the complete list of the guidelines.) Place supplements to draw livestock to areas that normally receive only light use.

RANGE IMPROVEMENTS

Projects:

Clean – stock tanks: Wilhoit, Root Plow, Orofino, Riggle, Miners, Carter and Grassy. Bentonite as needed.

Discuss with Arizona Mule Deer Organization (AMDO) if bentonite is needed.

Remove or rebuild River holding in Carter Pasture

Construct larger corral at Orofino Wash Well.

DROUGHT MANAGEMENT

To aide in determining the initial livestock numbers the Standard Precipitation Index (SPI) and the US Drought Monitor Report was discussed. The SPI and the US Drought Monitor showed our area in a *Moderate* drought. It was agreed that due to the above factors as well as that with the current precipitation conditions and the fact that there was abundant forage left over at the end of the growing season the livestock numbers would remain at the numbers in the above chart unless the allotment moves into a negative drought status.

